

# Work Order ID 66546

Tuesday, February 22, 2011 9:10:00 AM



Page 1

Item ID: D4017-7

Accept



Setup Start



Revision ID:

Stop



Item Name: Rib

Start Date: 2/22/2011 Start Qty: 3.00



Cust Item ID:

Required Date: 2/25/2011 Req'd Qty: 3.00



Customer:

Reference:

Approvals:

Process Plan: CL

Date: 11/02/22 Tooling:

Date:

QC:

Date: SPC (Y/N):

Date:

Run Start



Stop



Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr

Revision Nbr

D4017

C

100

0.00



Large Fab

Memo

0.00

Large Fab

1- Cut tube as per dwg D4017  
2- Deburr and remove identify marks

SAD  
11-02-22

(3)

110

QC6- Inspect dimensions to drawing

0.00



QC

Memo

0.00

Quality Control

PL 11-02-23

120

Identify as per dwg & Stock Location: WA

0.00



Packaging

Memo

0.00

Packaging

SAD  
11-02-23

(3)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

**Work Order ID 66546**

Page 2

Tuesday, February 22, 2011 9:10:00 AM

Item ID: D4017-7

Accept



Setup Start



Revision ID:

Stop



Item Name: Rib

Start Date: 2/22/2011 Start Qty: 3.00



Cust Item ID:

Required Date: 2/25/2011 Req'd Qty: 3.00



Customer:

Reference:

Run Start



Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_

Stop



QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_

Sequence ID/  
Work Center IDOperation  
DescriptionSet Up/  
Run Hours

Tool ID

Tool #

Plan  
CodeAccept  
QtyReject  
QtyReject  
NumberInsp.  
Stamp

130

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

11/02/23

11-02-23  
(3)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Picklist Print

Tuesday, February 22, 2011 9:09:57 AM

Page 1

Work Order ID: 66546

Parent Item: D4017-7

Parent Item Name: Rib



Start Date: 2/22/2011

Required Date: 2/25/2011

Start Qty: 3.00

Required Qty: 3.00

Comments: IPP RevA: new issue DD 09.11.26 verified by:EC IPP Rev:B as  
per dwg RevA DD 10.03.06 verified by:EC IPP Rev:C as per dwg RevB  
DD 10.04.16 verified by:EC IPP Rev:D as per dwg revC DD 10.08.18  
verified by:EC IPP Rev:E 11.01.18 chg qc5 to 6 DD verf:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

M304TS0.750W.049

Purchased

No

100

f

246.8668

0.0675

0.213158



304 SQ Tube .75x.75x.049W



SAD 11-02-22

Location

Loc Qty

Loc Code

MAT

216.6499209

113763

0

114323

8.15031894

114677

0.00001

114835

0.000039

116319

14.013

116509

19.3317

116719

2.418053

116788

172.7368

MAT017

3.68448E-05

114298

3.6845E-05

WA

30.2168

114992

8.8798

115260

21.337

0.2131

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

ITEM	QTY -041	P/N	DESCRIPTION
	X	D4017-041	SHORT BASKET BASE ASSY (350)
1	1	D4017-101	TUBULAR ASSY (350 SHORT BASKET)
2	2	D2581	MOUNTING BRACKET
3	2	D2931	BUMPER
4	1	D3913-15	WIDE HANDLE PLATE
5	3	D4016-1	HINGE HALF, BASE
6	1	D4020-3	MESH (350 BASKET SHORT BASE)
7	2	D4020-11	END MESH, BASKET
8	3	D4021-1	HANDLE PLATE
9	2	D4021-5	BLANKING PLATE
10	6	AN3-10A	BOLT
11	2	AN960JD8	WASHER
12	2	MS20600AD4W3	RIVET
13	6	MS21042L3	NUT
14	12	NAS1149F0332P	WASHER



**D4017-041 SHORT BASKET BASE ASSY (350)**  
(MESH SHOWN LOCALLY FOR CLARITY)

ECN 10-596  
**RELEASED**  
10.08.17

CL11102122  
W10.66546

- NOTES:
- 1) MATERIAL: N/A
  - 2) FINISH: POWDER COAT WHITE (4.3.5.2) PER DART QSI 005 4.3
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: N/A
  - 6) IDENTIFICATION: NONE
  - 7) WEIGHT: 28.8 lbs APPROX
  - 8) INSTALL AFTER FINISH
  - 9) MASK HOLES PRIOR TO POWDER COAT
  - 10) WELD PER DART QSI 004

C	ITEM #4 NOW INSTALLED OUTBOARD (C4-1, C5-1, B5-2 AND D8-2). REASON: ELIMINATE INTERFERENCE PREVENTING INSTALLATION OF RECEIVER ASSEMBLIES.	MB	10.07.23
B	QTY 1 D4021-1 REPLACED WITH QTY 1 D3913-15; AN3-10A BOLT WAS AN3C10A; NAS1149F0332P WASHER WAS NAS1149C0332R; SECTION F-F UPDATED (D6-2); ITEMS RENUMBERED; DETAIL D UPDATED (A4-3)	JPH	10.03.25
A	NEW ISSUE	AJS	10.03.04
REV.	DESCRIPTION	BY	DATE
DESIGN	AJS		
DRAWN			
CHECKED			
MFG. APPR.	J.F.B.		
APPROVED			
DE APPR.			
DATE	10.07.23		

**DART AEROSPACE LTD**  
HAWKESBURY, ONTARIO, CANADA

DRAWING NO. **D4017** REV. C  
SHEET 1 OF 5

TITLE **SHORT BASKET BASE ASSY (350) \_NTS** SCALE

COPYRIGHT © 2010 BY DART AEROSPACE LTD  
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries





8 7 6 5 4 3 2 1

D

C

B


A

D


C

B


A



**SECTION A-A** A5-2



**SECTION B-B** A2-2



**DETAIL D** D1-3 B8-2


**RELEASED**  
10.08.12

W10.66546

DESIGN	A15	<b>DART AEROSPACE LTD</b>	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED	JP	DRAWING NO. <b>D4017</b>	REV. C
MFG. APPR.	JFS		SHEET 3 OF 5
APPROVED	JM	TITLE	SCALE
DE APPR.	HA	<b>SHORT-BASKET-BASE ASSY (350) -NTS-</b>	
DATE	10.07.23	<small>COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

8 7 6 5 4 3 2 1

ITEM	QTY -101	P/N	DESCRIPTION
	X	D4017-101	TUBULAR ASSY (350 SHORT BASKET)
1	1	D4017-1	RIB
2	1	D4017-3	RIB
3	1	D4017-5	HINGE RIB
4	1	D4017-7	RIB
5	2	D4017-9	RIB
6	2	D3916-041	RIB ASSY
7	1	D3916-5	LIGHT RIB
8	1	D4034-041	AFT UPPER RIB ASSY
9	1	D4034-043	FWD UPPER RIB ASSY



- NOTES:
- 1) MATERIAL: N/A
  - 2) FINISH: NONE
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
  - 6) IDENTIFICATION: N/A
  - 7) WEIGHT: 15.26 lbs
  - 8) TOLERANCE FOR XX.XX DIMENSIONS  $\pm 0.06$  FOR D4017-101
  - 9) WELD PER DART QSI 004

8 D4017-101 TUBULAR ASSY (350 SHORT BASKET)

W10.66546

DESIGN	ALS	DART AEROSPACE LTD	REV. C
DRAWN	JP	HAWKESBURY, ONTARIO, CANADA	
CHECKED	STP	DRAWING NO. D4017	SHEET 4 OF 5
MFG. APPR.	STP	TITLE	SCALE
APPROVED	JM	SHORT BASKET-BASE ASSY (350)	NTS
DE APPR.	JM	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
DATE	10.07.23	THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

RELEASED

